


# Omeo

Self-Propelled  
Modular Crane Barge.

[www.polarismarine.com.au](http://www.polarismarine.com.au)



## MAIN PARTICULARS

<b>Design</b>	3 connected 12.5m x 3m x2m
<b>Year Built</b>	2000
<b>Flag</b>	Australia
<b>Survey</b>	AMSA 2C / 2D / 2E
<b>UVI</b>	407598
<b>GRT</b>	49.3t
<b>Max DWT</b>	172t
<b>Length</b>	12.5m
<b>Moulded Breadth</b>	9.0m
<b>Moulded Depth</b>	2.0m
<b>Draft (Lightship)</b>	0.45m
<b>Deck Capacity</b>	75t
<b>Free Deck Area</b>	112.5m <sup>2</sup>
<b>Draft (Max Capacity)</b>	1.4m

## CRANE SPECIFICATIONS

<b>Crane Type</b>	North Pacific / Telescopic Jib
<b>Crane Capacity</b>	2.8t@6.1m / 1.0t@12.2m
<b>Jib Length</b>	6.1m closed – 12.2m extended
<b>Degrees of Rotation</b>	360°

## DECK EQUIPMENT

<b>Bollards</b>	8x T bollards
<b>Ladders</b>	1x diver recovery ladder
<b>Propulsion</b>	300Hp Hydraulic Thruster

## AVAILABLE MODIFICATIONS

EWP / Boom lift.

### NORTH PACIFIC CRANE COMPANY, LLC AS-RIGGED LOAD CAPACITY CHART ALASKA MARINE CRANE MODEL MCT2-640

BOOM RETRACTED (m) 6.1			BOOM EXTENDED (m) 12.2		
LOAD RADIUS (Meters)	BOOM ANGLE (Degrees)	LOAD CAPACITY (mTon)	LOAD RADIUS (Meters)	BOOM ANGLE (Degrees)	LOAD CAPACITY (mTon)
1.5	79	5.4	1.5	84	2.1
3.0	64	5.4	3.0	77	2.1
4.5	46	4.6	4.5	70	2.1
6.0	15	3.4	6.0	62	2.1
6.1	0	2.9	7.5	54	2.1
			9.0	44	2.0
			10.5	32	1.7
			12.0	12	1.3
			12.2	0	1.0
<b>RIGGING:</b> ø14mm WIRE ROPE, 2-PARTED, DYFORM 18 CONSTRUCTION OR EQUAL					
<b>WARNING:</b> NOT FOR PERSONNEL HANDLING					

LC-21008